







HOW DOES FLEYG PLUS WORK

Steel plates are indispensable in road construction so that vehicles, bicycles and pedestrians can bridge construction site obstacles.

Up to now, steel plates were mostly built by filling up concrete ramps. This is timeconsuming and expensive. In addition, the steel plates built in this way cause considerable noise when crossing.

The **FLEYG PLUS** access ramp is mainly made of rubber. The noise dampening effect is already integrated into the material. **FLEYG PLUS** is water-repellent and non-slip. With the reflective markings it is also more visible.

The **FLEYG PLUS** is equipped with eight high-performance magnets that allow the specialist staff to attach the access ramp directly to the steel plate. The entire steel plate including **FLEYG PLUS** can be lifted, moved or transported away with each work step.

BENEFITS OF FLEYG



Quick and easy to lay



Can be reused



Cost-saving compared to ramps made using a coating



SAFETY - Highly visible thanks to reflective markings





Version with asphalt

Version with FLEYG

PER USE

EUR 30.00 - EUR 40.00 / m¹

(Pay, materials, inventory, external

services, waste disposal)

CAN BE USED AGAIN AND AGAIN

EUR 195.00 / m¹

Acquisition costs are recouped after

just five uses!

Usability

Price

Asphalt can only be used once.

Fleyg is designed to be used more than 200

times

Flexibility

Asphalt must be organised, ordered, transported and installed.

Fleyg can be laid quickly and used flexibly

Safety

- Trip hazard for pedestrians and cyclists
- Not easily visible to all road users
- Reflectors ensure safety
- No tripping
- Increased slip resistance
- **Environmentally friendly**
- Easy to lay













DATA SHEET

FLEYG 100 / FLEYG 75 Type

Material Recycled rubber specially designed and created inhouse with tensile/pressure-bearing properties

• High performance magnet

Surface • Water-repellent with pearl texture

• Non-slip light reflectors

Patents Fleyg AG, Bäumleingasse 22, 4051 Basel

Technical Details FLEYG 1000 x 400 x 42 mm / 12 kg

FLEYG 750 x 400 x 42 mm / 9 kg

Magnet 24mm diameter

Suitable for road plates from 2.0 to 4.0 cm









